



# المواصفات القياسية لليمنية للمياه

## مياه الشرب المعبأة

-1

.

           -2

1/2

1/1/2

2/1/2

2/2

3/2

3

:

4/2

0

-3

:

1/3

(1)

(1)

				1
				2
25-8	8			3
8.5-6.5	8-6.5		(pH)	4
1000-300	800-400	/	(EC)	5

:

2/3

1/2/3

5/2/3

2/2/3

0

(2)

2/ 2/3

2/5/3

1/5/3

(2)

<b>1000</b>	<b>650</b>	<b>/</b>	<b>T.D.S</b>		<b>1</b>
<b>300</b>	<b>200</b>	<b>= =</b>	<b>T.H</b>		<b>2</b>
<b>350</b>	<b>240</b>	<b>= =</b>	<b>HCO<sub>3</sub></b>		<b>3</b>
<b>300</b>	<b>200</b>	<b>= =</b>	<b>CL</b>		<b>4</b>
<b>300</b>	<b>200</b>	<b>= =</b>	<b>SO<sub>4</sub></b>		<b>5</b>
<b>1</b>	<b>1-0.6</b>	<b>= =</b>	<b>F</b>		<b>6</b>
<b>85</b>	<b>65</b>	<b>= =</b>	<b>Ca</b>		<b>7</b>
<b>30</b>	<b>20</b>	<b>= =</b>	<b>Mg</b>		<b>8</b>
<b>200</b>	<b>90-42</b>	<b>= =</b>	<b>Na</b>		<b>9</b>
<b>12</b>	<b>4.5-1.7</b>	<b>= =</b>	<b>K</b>		<b>10</b>
<b>45</b>	<b>7.8</b>	<b>= =</b>	<b>NO-3</b>		<b>11</b>
<b>0.7</b>	<b>0.3</b>	<b>= =</b>	<b>Fe</b>		<b>12</b>
<b>0.1</b>	<b>0.2</b>	<b>= =</b>	<b>Mn</b>		<b>13</b>
<b>0.7</b>	<b>0.5</b>	<b>= =</b>	<b>Cu</b>		<b>14</b>
<b>10</b>	<b>5</b>	<b>= =</b>	<b>Zn</b>		<b>15</b>
<b>0.2</b>	<b>0.1</b>	<b>= =</b>	<b>AL</b>		<b>16</b>
<b>0.01</b>	<b>0.01</b>	<b>= =</b>	<b>Ni</b>		<b>17</b>
<b>0.07</b>	<b>0.05</b>	<b>= =</b>	<b>B</b>		<b>18</b>
<b>0.05</b>	<b>0.05</b>	<b>= =</b>	<b>pb</b>		<b>19</b>
<b>0.01</b>	<b>0.01</b>	<b>= =</b>	<b>Se</b>		<b>20</b>
<b>0.05</b>	<b>0.05</b>	<b>= =</b>	<b>Cr</b>		<b>21</b>
<b>0.1</b>	<b>0.05</b>	<b>= =</b>	<b>CN</b>		<b>22</b>
<b>0.005</b>	<b>0.005</b>	<b>= =</b>	<b>Cd</b>		<b>23</b>
<b>0.001</b>	<b>0.001</b>	<b>= =</b>	<b>Hg</b>		<b>24</b>
<b>1</b>	<b>0.5</b>	<b>= =</b>	<b>Ba<sup>++</sup></b>		<b>25</b>
<b>0.02</b>	<b>0.01</b>	<b>= =</b>	<b>Ag<sup>+</sup></b>		<b>26</b>
<b>0.05</b>	<b>0.005</b>	<b>= =</b>	<b>Sb</b>		<b>27</b>

3/3

(3)

(3)

<b>0.1</b>	/		<b>1</b>
<b>1</b>	= =		<b>2</b>

4/3

1/4/3

5/3

1/5/3

:

2/5/3

:

1/2/5/3

2.2

. 100

. 100

9.2

:

2/2/5/3

100

4

. 100

\_\_\_\_\_ **-4**

1/4

2/4

3/4

\_\_\_\_\_ **-5**

88/2

.1

.2

.3

.4

.5

.6

\_\_\_\_\_ **-6**

-1

-2

(       )

-3

	. 1997/286/	-1
	. 1978/8/	-2
	. 1994/45/	-3
	1984/409/	-4
		-5
. 1984	1:2:3	-6
1996	, -	-7

( ) -1

-2

-3

( ) -4

-5

-6

-7