



الجمهورية اليمنية



المواصفات القياسية للمياه

المياه العادمة الصناعية والتجارية



-1

-2

1/2

2/2

(0000 , , , , , , , ,)

3/2

4/2

5/2

6/2

0

-3

1/3

45

-1

-2

(40-0)

-3

2/3

(1)

(1)

2100	/	COD	
800	/	BOD	
9.5-5.5	_____	pH	
1100	/	TSS	
2000	= =	TDS	
100	= =	_____	
10	= =	_____	

1000	= =	SO ₄	
50	= =	P	
5	= =	CN	
1	= =	S	
10	= =	H ₂ S	
50	= =	F	
600	= =	CL	
8	= =	F	
5	= =	As	
10	= =	Sn	
5	= =	Ba	
5	= =	B	
1	= =	Cd	*
5	= =	Cr	*
5	= =	Cu	
0.6	= =	Pb	*
0.01	= =	Hg	*
0.05	= =	Co	*
5	= =	Li	
0.1	= =	V	*
5	= =	Al	
5	= =	Ni	*
0.1	= =	Se	*
1	= =	Ag	*
10	= =	Mn	
5	= =	Be	
15	= =	Zn	

/ 10

*

-4

(2)

(2)

0.1	/	—	
1	/	—	

-5

1/5

.(1)

2/5

3/5

4/5

5/5

6/5

7/5

8/5

9/5

0

10/5

-6

Biochemical Oxygen Demand (BOD)

Chemical Oxygen Demand (COD)

Hydrogen Ion Concentration (pH)

Oil and Grease

Total Dissolved Solids

Total Suspended Solids

) -1
 . (- 1986 (86/5)
 NWSA -2
 - - -
 1419 27 : 4314: , -3
 1996, - , 1998 16 -4

() -1
 -2
 -3
 () -4
 -5
 -6
 -7